



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

PSU 40

CASE NO. 6 23

TYPE OF ACCIDENT CAR DELESTRAN CROSS, NG ROAD STRAIGHT

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.) VEHICLE * 1 PASSING THROUGH AN INTERSECTION, NOT PAYING ATTENTION DID STRIKE FEDESTRIAN WHO WAS CROSSING THE ROAD STRAIGHT. PED WAS TRANSPORTION. TO MEDICAL CENTER

B. PEDESTRIAN PROFILE							
Pedestrian		Sex	Treatment/ Mortality	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
No.	Age			Body Region	Ana. Struc.	AIS	Injury Source
01	50	,	4	ARM (SHOULDER)	ABRASION	,	Hood

Body Region Type of Anatomic Structure **Abbreviated Injury Scale** Head (1) Minor injury Whole Area Face (2) Moderate injury Vessels Throat (3) Serious injury Nerves Chest **Organs** (4) Severe injury Abdomen/Pelvis (5) Critical injury Skeletal Spine (6) Maximum (untreatable) Head-LOC **Upper Extremity** (7) Injured, unknown severity Skin-Burn Lower Extremity Skin-Other External

3	Class	Most Severe Damage Based on Vehicle Inspection					
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description			
01	INTERMEDIATE	96 FORD CONTOUR GL	FONT	Minor.			

DO NOT SANITIZE THIS FORM

. U.S. Department of Transportation National Highway Traffic Safety Administration

ACCIDENT COLLISION DIAGRAM

BEST AVAILABLE

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU No. 40 Case Number-Stratum 6 Indicate North 5

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation BEST AVAILABLE National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM PSU No. Case Number—Stratum Indicate North 0 9 9 5 VO' 2.7 HS Form 431B (1/95)

Scale: 1 centimeter = _

meters



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

110				PEDESTRIAN CRASH DATA STUDY			
Primary Sampling Unit Number 40 Case Number-Stratum 6 2 P							
	LLISION DATA			SCALED DIAGRAM			
document reference point and reference line relative to physical features	Surface Type	<u>ASPAUT</u>	* n	orth arrow placed on diagram			
 documentation of all accident induced physical evidence including (if applicable): 	Surface Conditi		* g	rade measurements for all applicable padways			
a) vehicle skid marks	Coefficient of F	riction	* s	caled representations of the physical plant ocluding:			
b) pedestrian contacts with ground or object	Grade (v/h) Mea		а) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)			
c) vehicle/pedestrian point of impact (POI)	a) at imp	act <u>(<i>EVEC</i></u>	b) all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) between final re	en impact and est	p	caled representations of the vehicle and edestrian at pre-impact, impact, and final est based upon either:			
final resting points (FRP) for pedestrian and vehicle	Pedestrian Trav	SOUTH_	a)	physical evidence, or			
documentation of the physical plant including:	Vehicle Travel [Direction WEST	b)	reconstructed accident dynamics			
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings; parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Number of Trav	el Lanes <u> </u>					
Reference Point: SIGNALPOLF V	W CORX	ℋR Reference Line: N∆	R70	G CURBLINE			
Item		Distance and Direction from Reference Point		Distance and Direction from Reference Line			
RP		2.0		2.11			
RUS STOP EAST-BOUND		0,0		13.75			
TELEPHONIE.		4.0€		17.45			
SIGNAL POLE #1		4.6E		17.8 S			
±2 #3		25,4€		14.25			
		21.1E		3.0 N			
FIREHYDRANT		4,0 E		19.35			
GAS STATION SIGN MAILBOX		25.1E		6,4 W			
BUSTOP SOUTHBOUND		8,5 W		18 ~			
2 5 3 1 200 / 1 DOUN I)		JIE		1).4 P			

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		·

Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	40	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	6 23 P	Check (✓) each special study (SS15-SS19 below has been completed; code 1 for the checked s) that pecial
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle		6SS15 Administrative Use	_0_
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	/ 9 8	8SS17 Impact Fires	_0
5. Time of Accident	20	9SS18	_0_
Code reported military time of accider NOTE: Midnight = 2400 Unknown = 9999	nt.	10SS19	_0_
Olikilowii – 9999		NUMBER OF EVENTS	
×		Number of Recorded Events in This Accident	0_1

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. <u>0</u> <u>3</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0 0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 4 0	OFFICIAL RECORDS
2. Case Number - Stratum 6 23 P	9. Police Reported Travel Speed 99
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify):	in kmph (999) Unknown 3 0 mph X 1.6093 = 4 8 kmph
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6. Vehicle Model (specify): Applicable codes are found in your	(1) Yes alcohol present(7) Not reported(8) No driver present(9) Unknown
NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit – 0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source:
F A L P 6 5 3 8 T K	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- 65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 12,763 lbs x .4536 = 1,25 kgs	18. Impact Speed + 999 Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): //ATTENTION (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	raye
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	
up) (specify):	Object or Animal
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(87) Animal in roadway
(specify):	The state of the s
(06) Traveling too fast for conditions	(89) Animal—unknown location
(08) Other cause of control loss (specify):	(90) Object in roadway
(00) Other cause of control loss (specify):	(91) Object approaching roadway
(09) Unknown cause of control loss	(92) Object—unknown location
This Vehicle Traveling	(98) Other critical precrash event (specify):
(10) Over the lane line on left side of travel lane	100)
	(99) Unknown 9 9
(11) Over the lane line on right side of travel lane	
(12) Off the edge of the road on the left side	24) Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(O1) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	e (99) Unknown
in lane	9 V
Other Motor Vehicle Encroaching Into Lane	(25) Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees (4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(0) Oshani,
(65) From crossing street, turning into same direction	n
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26) Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown
	(9) Directional consequences unknown

	ENVIRONME	NTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	(6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	(7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
31.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown Roadway Profile (1) Level	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
	 (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	 (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

. Department of Transportation National Highway Traffic Safety PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM Administration PEDESTRIAN CRASH DATA STUDY 1. Primary Sampling Unit Number 3. Vehicle Number 0 1 2. Case Number - Stratum VEHICLE IDENTIFICATION Model Year 76 Vehicle Model (specify): CONTOUR 5 Vehicle Make (specify): PEDESTRIAN FRONT CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway cm PEV11 Hood Width-Rear Opening cm PEV14 Front Bumper Cover Material PEV15 Front Bumper Reinforcement Material **VERTICAL MEASUREMENTS** PEV16 Front Bumper-Bottom Height cm PEV17 Front Bumper-Top Height cm PEV18 Forward Hood Opening cm PEV19 Front Bumper Lead cm WRAP DISTANCES PEV20 Ground to Forward Hood Opening cm

PEV21 Ground to Front/Top Transition Point cm PEV22 Ground to Rear Hood Opening cm PEV23 Ground to Base of Windshield cm PEV24 Ground to Top of Windshield cm PEV25 Ground to Head Contact cm


VEHICLE DAMAGE SKETCH

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 156 cm

	PEDESTRIAN SIDE CONTACT WOF	IK SHEET
PEV06 Hood	Material	
PEV08 Hood		cn
PEV09 Hood	Width-Forward Opening	cn
PEV10 Hood	Width-Midway	cn
PEV11 Hood	Width-Rear Opening	cn
	. VERTICAL MEASUREMENTS	
PEV26 Groun	,	cn
PEV27 Side E	Bumper-Bottom Height	cn
	Bumper-Top Height	
	rline of Wheel	
PEV30 Top o	f Tire	
•	f Wheel Well Opening	cn
-	m of A-Pillar at Windshield	cn
	f A-Pillar at Windshield	cn
	f Side View Mirror	cn
•		cn
	LATERAL MEASUREMENTS	
PEV35 C _L to	A-Pillar at Bottom of Windshield	cr
PEV36 C _L to	A-Pillar at Top of Windshield	cr
PEV37 C _L to	Maximum Side View Mirror Protrusion	cr
	WRAP DISTANCES	
PEV38 Groun	nd to Side/Top Transition	cr
PEV39 Grour	nd to Hood Edge	Cr
PEV40 Groun	nd to Centerline of Hood (ORIGIN)	cr
	nd to Head Contact	

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

Wheelbase /(0) 6.7 inches x 2.54 = \mathcal{I} inches x 2.54 '= Overall Length Maximum Width inches x 2.54 =pounds x .4536 = 1.256 kgCurb Weight <u> 149</u> cm inches x 2.54 =Average Track 94 cm Front Overhang inches $\times 2.54 =$ Rear Overhang inches x = 2.54 =Undeformed End Width inches $\times 2.54$ -Engine Size: cyl./displ. ___ __ __ 2.0 L x .001 x .0164 =CID **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission **Left Side Components** 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify):_ 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

ORIGINAL SPECIFICATIONS

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET LONGITUDINAL LATERAL * CONTACT COMPONENT CRUSH CONFIDENCE LEVEL OF SEQUENCE CONTACTED LOCATION IΩ LOCATION IN SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT * LABEL **(Y)** CENTIMETERS BODY REGION (Circle) BUMPER SCRATCH \bigcirc 2 3 9 SO KARA (1)2 3 9 68 G SCRATCHES 1 2 3 9 L 26 Smudge 1/2) 3 8 t00*/*/ 10 11 SMUDGE 1 2 3 9 , 1 1 (2) 3 9 1 2 3 9 1.1 1 2 3 9 ; ; $(1)_{2}$ 3 9 (1,2 3 9 1 2 3 9 9 ()2 3 9 11 MCAR HINDER 1 (2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9 1 2 3 9


	POINTS OF PEDESTRIAN CONTACT CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	
1	770	119	51		TORSO	SMEAR		
2	700	35	43		ZEG	SCRAZEL	Q239	
3	700	41	56		LEG	SCRATCH	<u>(1)</u> 2 3 9	
4	770	79	7		70	Smudae	0239	
5	770	94	<u> き</u>		TORSO	SCRATCH	<u>(1)</u> 2 3 9	
6	770	92	0		70/00	SCRATER	(1) 2 3 5	
7	770	93	6		TORSO	SMEARS	1)2 3 9	
8	770	92	25		TORSO	SCRATCH	(D2 3 9	
9	770	95	60		TORSO	SCRATCH	(1) 2 3 g	
10	770	65	26	·	HIP	SMULGE	1023	
11	770	76	36		HIP	SMULGE	1 2 3 9	
12	770	72	41		HIP	SMULGE	1 (2) 2 3	
13	720	122	93		LEG	SMEARS	1 🕢 3 9	
14	700	49	80		LEG	SCRATCHES	1 2 💋 9	
15							1 2 3 9	
16							1 2 3 9	
17	·						1 2 3 9	
18							1 2 2 9	
19							1 2 3 9	
20							1 2 1 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	

VEHICLE DIMENSIONS	11 Hood Width Poor Opening
1	11. Hood Width Rear Opening Code to the
4. Original Wheelbase $27/$	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
1. 1. 7	
106.7 inches X 2.54 = $27/$ centimeters	centimeters
E Original Average Treek Width 1// 9	12 Hood/Fender Vertical/Lateral Crush From
5. Original Average Track Width	Pedestrian /
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters)
	(3) Moderate crush (4-7 centimeters)
$\phantom{aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa$	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
4	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13 Windshield Contact Domes
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel	(2) Contacted by pedestrian - damaged
(8) Other (specify):(9) Unknown	(3) Unknown if contacted by pedestrian - not
(5) OHKHOWN	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
	l
(2) OEM replacement	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	unknown if damaged
	<u> </u>
(3) Non-OEM replacement (9) Unknown	FRONT CONTACT DAMAGE
(3) Non-OEM replacement (9) Unknown 8. Hood Length	<u> </u>
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = /// centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = // centimeters	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify):
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = /// centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = /// centimeters 10. Hood Width Midway	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 13	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 13	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 13	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 13	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = // centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown Column Lead (150) 150 centimeters or more (150) Linches X 2.54 = 5 centimeters 18. Forward Hood Opening Code to the nearest centimeter (150) 150 centimeters (150) 150 centimete	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown 7/ 7 inches X 2.54 = 7 8 2 centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown 706. 7 inches X 2.54 = 7 / centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown inches X 2.54 =
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	Side Vertical Measurements
20. Ground to Forward Hood Opening 0 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	26. Ground Clearance Code to the
(000) No front contact (200) 200 centimeters or more (999) Unknown	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
(000) No front contact (200) 200 centimeters or more (999) Unknown	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

29.	Centerline of Wheel Code to the	600	Side Lateral Measurements
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown		35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 =	centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	000	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown	<u> </u> :	36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 =	-	nearest centimeter (000) No side contact (250) 250 centimeters or more
31.	Top of Wheel Well Opening Code to the nearest centimeter	000	(999) Unknown inches X 2.54 = centimeter
	(000) No side contact (250) 250 centimeters or more		
	(999) Unknown inches X 2.54 =	centimeters	37. Centerline to Maximum Side View Mirror Protrusion Code to the
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter	000	nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown
	(000) No side contact (250) 250 centimeters or more (999) Unknown		inches X 2.54 = centimeter
	inches X 2.54 =	centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	500	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	<u>000</u>	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown
	inches X 2.54 =	centimeters	inches X 2.54 = centimeters

40. Ground to Centerline of Hood Code to the nearest centimeter (000) No side contact (700) 700 centimeters or more (999) Unknown	·
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more (998) No head contact (999) Unknown	
inches X 2.54 = centimeters	



PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

National Highway Traffic Safety
Administration

1.	Primary Sampling Unit Number 40	10. Pedestrian's Weight Code actual weight to the nearest
2.	Case Number - Stratum 6 23 P	kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	(6) Jumping(7) Falling/stumbling or rising(8) Other (specify):(9) Unknown
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	inches X 2.54 = centimeters Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	
	18. Pedestrian's Arm Orientation
	at Initial Impact
(A	(01) At sides
15. Pedestrian's First Avoidance Actions 4	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	•
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(55) CHRIOWII	(99) CHAIOWII
	19. Pedestrian's Leg Orientation
	at Initial Impact
DEDECTRIANIC CRIENTATION AT IMPACE	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	(07) Right foot off the ground
(1) To front	(08) Both feet off the ground
(2) To left	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	(33) Shidlowin
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
	dragged by vehicle
	(12) Shunted to left (corner impacts only)
:	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown
 (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	(0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOF - VARIABLES GUTHROUGH GY AS	RECOMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	(00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
(33) CHRIGHT	
	S INCLUDED WITH INITIAL SUBMISSION? YES [] NO [] YES []

Administration

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


3 £ 2 000	Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
15	P. L	6. 7	7.9	84 <u>2</u>	9. Ø2	10. 🟒	11. <u>2</u>	12. <u>770</u>	13. <u>/</u>	14	15. 2	162	ا را
D V		19. 🖊	20. <u>C</u>	21. <u>Ø 4</u>	22. <u>Ø2</u>	23. 🗘	24. 💋	25. <u>770</u>	26	27	282	-29	چ ا م
C I	ist ist ist. ist.	32. 7	33. <u>9</u>	34 <u>164</u>	35. <u>Ø2</u>	36. <u>/</u>	37. <u>2</u>	38. <u>77</u> 2	39. <u>/</u>	40. <u>/</u>	412	42. <u>2</u>	-43. <u>2</u>
41	44	45	46	47	48	49	50	51	52	53	54	55	56
5tl	57	58	59	60	61	62	63	64	65	66	67	68	69
6tf	70	71	72	73	74	75	76	77	78	79	80	81	82
711	83	84	85	86	87	88	89	90	91	92	93	94	95
Btf	96	97	98	99	100	101	102	103	104	105	106	107	108
911	109	110	111	112	113	114	115	116	117	118	119	120	121
10t	h 122	123	124	125	_126	127	128	129	130	131	132	133	134

HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

PEDESTRIAN INJURY DATA												
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th					_	_		_	_	_	_	
12th											_	_
13th												
15th					_	_						
16th	_					_					_	_
17th								_		_	_	
19th					_	_		_				_
20th	_	_			_					_	_	_
21st								_		_	_	_
23rd					_				_	_		-
24th	_	_			_				_	_		_
25th								_				

PT STRUCK ON LFT SIDE, FELL ON HOOD, THEN GROUND & HAT ON RT SIDE




INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA TYPE OF DAMAGE** (0) Injury not from vehicle contact Certain Probable OFFICIAL (2) (1) Autopsy records with or without hospital/ No damage/contact Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) Dent Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY (5) Cracked, fractured, shattered Separated from vehicle summary) Direct contact injury Emergency room records only (including Indirect contact injury Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: Injured, unknown source Private physician, walk-in or emergency Unknown clinic STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL Injury not from vehicle contact (1) No residual damage (5) Lay coroner report (6) E.M.S. personnel Rounded (contoured) Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded edge (7) Interviewee Sharp edge (8) Other source (specify): Other (specify): Crush depth > 5 to 10 centimeters Other specify:_ (9) Police Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Spine (02) Cervical (04) Thoracic Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Minor injury Face (06) Lumbar Moderate injury Serious injury (3) Neck Thorax <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 Severe injury (5) (6) (7) Abdomen (08) Skin - Avulsion Critical injury Maximum (untreatable) (5) (10) Amputation Spine Upper Extremity Burn (20) Injured, unknown severity (8) Lower Extremity (30) Crush Level of Injury Unspecified Degloving Injury - NFS (40) Aspect Specific injuries are assigned Type of Anatomic Structure consecutive two-digit beginning with 02. (90) Trauma, other than mechanical numbers Right Left Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness Whole Area Bilateral Central Vessels (2)To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Anterior (4) Organs (includes muscles/ (6)Posterior ligaments) Superior Skeletal (includes joints) Inferior Head - LOC Skin (6) (9) Unknown NFS as to lesion or severity. Whole region **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify): 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 818 Other undercarriage component 761 Tailgate 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component <u>Accessories</u> 730 Left side door surface 820 Air scoop, deflector 821 Cellular or CB radio antenna 731 Left side door handle Top Components 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 734 Left side glazing forward of B pillar 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 948 Other object (specify): 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna ∠781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar


789 Unknown top component

999 Unknown injury source

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





PSU40 CASE 623P

1998 PEDESTRIAN ACCIDENT FORM

99

IDENTIFICATION

3. Number of General Vehicle Forms Submitted 01

98

4. Date of Accident (Month, Day, Year)
5. Time of Accident (military time) 1820

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

01

1998 PEDESTRIAN ACCIDENT FORM

PSU40 CASE 623P

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage
12. 01	13. 01	14. 03	15. F	16. 72	17. 00	18. 0
01 PSU40 CASE 623F VEHICLE 0			STRIAN ASSE	SSMENT FORM		
PEDESTRIAN'		RISTICS		50		
4. Pedestr 5. Pedestr	rian's Age			1		
6. Pedestr		all Height		999		
		ht - Ground	to Knee	99		
		ht - Ground		999		
		ht - Ground		999		
10 Dadaata	idam la Mada	h+		999		

999

PEDESTRIAN'S PRE-AVOIDANCE ACTIONS

10. Pedestrian's Weight

11.	Pedestrian's	Attitude	1
12.	Pedestrian's	Motion	9
13.	Pedestrian's	Actions Relative to Vehicle	01
14.	Pedestrian's	Body (Chest) Orientation Relative	
	to Striking V	Mehicle Prior to Avoidance Actions	9

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	99
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction	9 9 99 99
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian 24. Other Drug Specimen Test Result For Pedestrian	7 96 0

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	1
26. Treatment - Mortality	4
27. Type of Medical Facility (for Initial Treatment)	
28. Hospital Stay	00
29. Working Days Lost	99
•	
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	15
31. Was the Pedestrian Given Blood?	1
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestrian	03
01	

1998 PEDESTRIAN INJURY FORM

PSU40 CASE 623P

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	Source of Inj. Data	Body Reg.	Type of Anat. Struc.	Spec. Anat. Struc.	Lev. of Inj.	AIS Sev.	Asp.		Inj. Source Conf. Level	Indir.	Str.		Dmg.
01.	6	7	9	02	02	1	2	770	1	1	2	2	2
02.	3	1	6	04	02	1	0	770	1	1	2	2	2
03.	3	7	9	04	02	1	2	770	1	1	2	2	2

01

PSU40

1998 PEDESTRIAN GENERAL VEHICLE FORM

CASE 623P VEHICLE 01

VEHICLE IDENTIFICATION

4.	Vehicle Model Year	96
5.	Vehicle Make	12
6.	Vehicle Model	035
7.	Body Type	04
	TILL TRANSPORT MANAGEMENT	1 57 1 10 4

8. Vehicle Identification Number 1FALP6538TK

OFFICIAL RECORDS

O 1 1 1	CIII RECORDS	
9.	Police Reported Travel Speed	999
	Speed Limit	048
11.	Police Reported Alcohol Presence For Driver	7
12.	Alcohol Test Result For Driver	96
	Police Reported Other Drug Presence	0
14.	Other Drug Specimen Test Result for Driver	0

VEHICLE WEIGHT ITEMS

15.	Vehicle	Curb Weight	1,260
16.	Vehicle	Cargo Weight	9,990

OTHER DATA

17. Vehicle Special Use (This Trip) 0

RECONSTRUCTION DATA (COMPLETED BY THE ZONE CENTER)

18.	Impact Speed		+999
19.	Accuracy Range of	of Impact Speed Estimate	9
20.	Data Source of I	Impact Speed	0

PRECRASH DATA

21.	Driver's Attention to Driving	8
	Pre-Event Vehicle Movement	01

PRECRASH DATA (continued)	
23. Critical Precrash Event	80
24. Attempted Avoidance Maneuver	99
25. Precrash Stability After Avoidance Maneuver	9
26. Precrash Directional Consequences of	
Avoidance Manuver (Corrective Action)	9

ENVIRONMENTAL DATA	
27. Relation to Junction 2	
28. Trafficway Flow 1	
29. Number of Travel Lanes 4	
30. Roadway Alignment 1	
31. Roadway Profile 1	
32. Roadway Surface Type 2	
33. Roadway Surface Condition 1	
34. Traffic Control Device 1	
35. Traffic Control Device Functioning 2	
36. Light Conditions 1	
37. Atmospheric Conditions 1	
01	
PSU40 1998 PEDESTRIAN EXTERIOR VEHICLE FOR	M۶
CASE 623P	
VEHICLE 01	

VEHICLE DIMENSIONS

4.	Original Wheelbase	271
5.	Original Average Track Width	149
6.	Hood Material	3
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	102
9.	Hood Width Forward Opening	135
10.	Hood Width Midway	144
	Hood Width Rear Opening	150
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	0

FRONT CONTACT DAMAGE

FRONT VERTICAL MEASUREMENTS 14. Front Bumper Cover Material 15. Front Bumper Reinforcement Mat. 1 036 17. Front Bumper-Top Height 16. Front Bumper-Bottom Height 051 061 19. Front Bumper Lead 18. Forward Hood Opening 11 FRONT WRAP DISTANCE MEASUREMENTS 20. Ground to Fwd. Hood Opening 066 21. Ground to Front/Top Transition Pt 086 22. Ground to Rear Hood Opening 168 23. Ground to Base of Windshield 24. Ground to Top of Windshield 271 25. Ground to Head Contact 182 998

SIDE CONTACT DAMAGE

SIDE VERTICAL MEASUREMENTS	
26. Ground Clearance	000
27. Side Bumper-Bottom Height	000
28. Side Bumper-Top Height	000
29. Centerline of Wheel	000
30. Top of Tire	000
31. Top of Wheel Well Opening	000
32. Bottom of A-Pillar at Windshield	000
33. Top of A-Pillar at Windshield	000
34. Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS 35. Centerline to A-Pillar at Bottom of Windshield 36. Centerline to A-Pillar at Top of Windshield 37. Centerline to Maximum Side View Mirror Protrusion	000 000 000						
SIDE WRAP DISTANCE MEASUREMENTS 38. Ground to Side/Top Transition 000							

000

39. Ground to Hood Edge 40. Ground to Centerline of Hood (Origin) 000 41. Ground to Head Contact 000

0

40623P00000011 40623P00010012		000000000			99	99	9900000000
40623P00010021	11.0	00000000	05019999	99999999		99999990379	600141009915
40623P00010131 40623P00010231		00000000					
40623P00010331		00000000				00004970	60012600000
40623P01000041 40623P01000051	11.0		02711493	11021351	44150101	110360510611	600126999099 106608616818
40623P9999999900	00000000	00000000	00000000	00000000	00000000	000000000000	000000000000

99

PSU40 CASE 623P CURRENT VERSION: 11.0

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	0	0	0	Y
Pedestrian Injury	0	0	0	Y
Pedestrian General Vehicl	e 0	0	0	Y
Pedestrian Exterior Vehic	le 0	0	0	Y
Total Inter Errors		0	0	
Total Case Errors	0	0	0	